

My Profile	Search	Browse	Link In	Help	IDEAL
-------------------	---------------	---------------	----------------	-------------	--------------

TABLE OF CONTENTS

New, Smarter IDEAL Browse Deserves a Look!

Analytical Biochemistry

Vol. 280, No. 2, May 1, 2000

ISSN: 0003-2697

EISSN: 1096-0309

SELECT:

All Issues

Go

Academic Press
keeping you up-to-date
eAlert

In This Issue:

Regular Articles

Selenium Determination in Biological Fluids Using Zeeman Background Correction Electrothermal Atomic Absorption Spectrometry

Natalia Campillo, Pilar Viñas, Ignacio López-García, Manuel Hernández-Córdoba
pp. 195-200 (doi:10.1006/abio.2000.4516)

[Abstract](#) | [References](#)

[Article \(PDF 67K\)](#)

Synthesis of Peptidyl Methylcoumarin Esters as Substrates and Active-Site Titrants for the Prohormone Processing Proteases Kex2 and PC2

Nathan C. Rockwell, Damian J. Krysan, Robert S. Fuller
pp. 201-208 (doi:10.1006/abio.2000.4541)

[Abstract](#) | [References](#)

[Article \(PDF 82K\)](#)

Estimation of Receptor-Ligand Interactions by the Use of a Two-Marker System in Affinity Capillary Electrophoresis

Erica Mito, Ying Zhang, Sally Esquivel, Frank A. Gomez
pp. 209-215 (doi:10.1006/abio.2000.4536)

[Abstract](#) | [References](#)

[Article \(PDF 95K\)](#)

Use of Bidirectional Blots in Differential Display Analysis

Daniel P. Kestler, Melissa Hill, Sujata Agarwal, Robert E. Hall
pp. 216-220 (doi:10.1006/abio.2000.4532)

[Abstract](#) | [References](#)

[Article \(PDF 75K\)](#)

Amperometric Glucose Sensor Based on Coimmobilization of Glucose Oxidase and Poly(*p*-phenylenediamine) at a Platinum Microdisk Electrode

Xu Jing-Juan, Chen Hong-Yuan
pp. 221-226 (doi:10.1006/abio.2000.4502)

[Abstract](#) | [References](#)

[Article \(PDF 78K\)](#)

Fluorescence Lifetime Microscopy of the Sodium Indicator Sodium-Binding Benzofuran Isophthalate in HeLa Cells

Sanda Despa, Paul Steels, Marcel Ameloot
pp. 227-241 (doi:10.1006/abio.2000.4505)

[Abstract](#) | [References](#)

[Article \(PDF 183K\)](#)